

FIG. 1

Inventor(s) Ulrich Bardolatzy et al
 Sheet 2 of 10 Case No. POS, 0103
 USSN 10/531 Conf. # 8650 GAU 2852
 208




FIG. 2

Inventor(s) Ulrich Bardolatyzal
 Sheet 3 of 10 Case No. P05,0103
10/531,508 CN 8658 GAU 2852




FIG. 3





FIG. 4



Inventor(s) Ulrich Bandolatze et al
 Sheet 6 of 10 Case No. POS 0103
10/531,508 - CN 8650 CA 2852

Up3! Frame

Ready

Stop

Clear printer

Abort print job

Not ready

PM037470

Data ready

Restart system

Restart system

Restart system

Service Ticket

PM037470

Warning

W-parts

Mouse BDF

User: Developer

Clear printer

Abort print job

Not ready

PM037470

Service Ticket

PM037470

Warning

W-parts

Mouse BDF

User: Developer

Service Ticket

Please call your service control center
at +49 / 08141 / 72-3156
and announce the following data:

i	Customer number	aCustomerId	
i	Serial number	aSerialNumber	
X	Error description	PM037470	
i	Error code	PM037470	

FIG. 6

Inventor(s) Ulrich Brublatz et al
POS, P0300
10/591,508 CN 8650 GA42852

Up3i Frame

Ready

Stop

Clear printer

Abort print job

Not ready

PM037470

Data ready

Restart system

A TCP/IP

Out

Help

Language

Diagnose

Error

Warning

Service Ticket

W-parts

User: Developer

60

62

68

66

[1] Varioprint

Service Ticket

Error as e-mail to the service control center?

Please call your service control center
 at +49 / 08141 / 72-3156
 and announce the following data:

i	Customer number	aCustomerId	
i	Serial number	aSerialNumber	
X	Error description	PM037470	
i	Error code	PM037470	

FIG. 7




FIG. 8

Inventor(s) Ulrich Bordolatz et al
Sheet 9 of 10 Case No. P05,0103 00
USSN 2013/01508 Conf. # 8650 GAU 2852



	Symbol	Description
1		If no error is present in the printing system (image), the icon is shown deactivated in a greyscale representation. In the case of an error, for example given a paper jam, the icon blinks, in that the icon is alternately shown red and grey. Upon pressing the graphical function key that is stored with the icon, the "errors and warnings" menu is invoked and displayed.
2		If no warning is present in the printing system (image), the icon is shown deactivated in a greyscale representation. In the case of one or more warnings, the icon blinks, in that the icon is alternately shown yellow and grey. Upon pressing the graphical function key that is stored with the icon, the "errors and Warnings" menu is invoked and displayed.

FIG. 9

Inventor(s) Ulrich Bardolatzy et al
 Sheet 0 of 10 Case No. P0501030
 USSN 12/53/508 Conf. # 8650 GAU 2852









Row	Symbol	Description
1		Overall view of printer.
2		Enlarge the current printer view.
3		Shrink the current printer view.
4		Shift the printer view in the respective direction of the arrow.
5		Display the service ticket instead of the printer view. Return to the previous state via the same button.
6		Display the detailed description for this error / this warning instead of the menu tree. Return to the previous state via the same button.
7		Change to the next / preceding error / warning.
8		Change the view between: <ul style="list-style-type: none"> • List without printer view • List with printer view • Printer view without list

FIG. 10